
Chapter 20

Antenna Materials and Accessories

This chapter contains information on materials amateurs use to construct antennas—what types of material to look for in a particular application, tips on working with and using various materials. Chapter 21 contains information on where to purchase these materials.

Basically, antennas for MF, HF, VHF and the lower UHF range consist simply of one or more conductors that radiate (or receive) electromagnetic waves. However, an antenna system must also include some means to support those conductors and maintain their relative positions—the boom for a Yagi antenna and the halyards for a wire dipole, for example. In this chapter we'll look at materials for those applications, too. Structural supports such as towers, masts, poles, etc are discussed in [Chapter 22](#).

There are two main types of material used for antenna conductors, wire and tubing. Wire antennas are generally simple and therefore easier to construct, although some arrays of wire elements can become rather complex. When tubing is required, aluminum tubing is used most often because of its light weight. Aluminum tubing is discussed in a subsequent section of this chapter.

Wire Antennas

Although wire antennas are relatively simple, they can constitute a potential hazard unless properly constructed. Antennas should *never* be run under or over public utility (telephone or power) lines. Several amateurs have lost their lives by failing to observe this precaution.

The National Electrical Code of the National Fire Protection Association contains a section on amateur stations in which a number of recommendations are made concerning minimum size of antenna wire and the manner of bringing the transmission line into the station. [Chapter 1](#) contains more information about this code. The code in itself does not have the force of law, but it is frequently made a part of local building regulations, which are enforceable. The provisions of the code may also be written into, or referred to, in fire and liability insurance documents.

The RF resistance of copper wire increases as the size of the wire decreases. However, in most types of antennas that are commonly constructed of wire (even quite small wire), the radiation resistance will be much higher than the RF resistance, and the efficiency of the antenna will still be adequate. Wire sizes as small as #30, or even smaller, have been used quite successfully in the construction of “invisible” antennas in areas where more conventional antennas cannot be erected. In most cases, the selection of wire for an antenna will be based primarily on the physical properties of the wire, since the suspension of wire from elevated supports places a strain on the wire.

WIRE TYPES

Wire having an enamel coating is preferable to bare wire, since the coating resists oxidation and corrosion. Several types of wire having this type of coating are available, depending on the strength needed. “Soft-drawn” or annealed copper wire is easiest to handle; unfortunately, it stretches considerably under stress. Soft-drawn wire should be avoided, except for applications where the wire will be under little or no tension, or where some change in length can be tolerated. (For example, the length of a horizontal antenna fed at the center with open-wire line is not critical, although a change in length may require some readjustment of coupling to the transmitter.)

“Hard-drawn” copper wire or copper-clad steel wire (also known as Copperweld) is harder to handle,

because it has a tendency to spiral when it is unrolled. These types of wire are ideal for applications where significant stretch cannot be tolerated. Care should be exercised in using this wire to make sure that kinks do not develop—the wire will have a far greater tendency to break at a kink. After the coil has been unwound, suspend the wire a few feet above ground for a day or two before using it. The wire should not be recoiled before it is installed.

Several factors influence the choice of wire type and size. Most important to consider are the length of the unsupported span, the amount of sag that can be tolerated, the stability of the supports under wind pressure, and whether or not an unsupported transmission line is to be suspended from the span. **Table 1** shows the wire diameter, current-carrying capacity and resistance of various sizes of copper wire. **Table 2**

Table 1
Copper-Wire Table

Wire Size AWG (B&S)	Dia in Mils ¹	Dia in mm	Turns				Cont.-duty current ² Single Wire in Open Air	Wire Size AWG (B&S)	Dia in Mils ¹	Dia in mm	Turns			
			per Linear Inch Enamel	Feet per Pound Bare	Ohms per 1000 ft 25°C	Cont.-duty current ² Single Wire in Open Air					per Linear Inch Enamel	Feet per Pound Bare	Ohms per 1000 ft 25°C	Cont.-duty current ² Single Wire in Open Air
1	289.3	7.348	—	3.947	0.1264	—	21	28.5	0.723	33.1	407.8	13.05	—	
2	257.6	6.544	—	4.977	0.1593	—	22	25.3	0.644	37.0	514.2	16.46	—	
3	229.4	5.827	—	6.276	0.2009	—	23	22.6	0.573	41.3	648.4	20.76	—	
4	204.3	5.189	—	7.914	0.2533	—	24	20.1	0.511	46.3	817.7	26.17	—	
5	181.9	4.621	—	9.980	0.3195	—	25	17.9	0.455	51.7	1031	33.00	—	
6	162.0	4.115	—	12.58	0.4028	—	26	15.9	0.405	58.0	1300	41.62	—	
7	144.3	3.665	—	15.87	0.5080	—	27	14.2	0.361	64.9	1639	52.48	—	
8	128.5	3.264	7.6	20.01	0.6405	73	28	12.6	0.321	72.7	2067	66.17	—	
9	114.4	2.906	8.6	25.23	0.8077	—	29	11.3	0.286	81.6	2607	83.44	—	
10	101.9	2.588	9.6	31.82	1.018	55	30	10.0	0.255	90.5	3287	105.2	—	
11	90.7	2.305	10.7	40.12	1.284	—	31	8.9	0.227	101	4145	132.7	—	
12	80.8	2.053	12.0	50.59	1.619	41	32	8.0	0.202	113	5227	167.3	—	
13	72.0	1.828	13.5	63.80	2.042	—	33	7.1	0.180	127	6591	211.0	—	
14	64.1	1.628	15.0	80.44	2.575	32	34	6.3	0.160	143	8310	266.0	—	
15	57.1	1.450	16.8	101.4	3.247	—	35	5.6	0.143	158	10480	335	—	
16	50.8	1.291	18.9	127.9	4.094	22	36	5.0	0.127	175	13210	423	—	
17	45.3	1.150	21.2	161.3	5.163	—	37	4.5	0.113	198	16660	533	—	
18	40.3	1.024	23.6	203.4	6.510	16	38	4.0	0.101	224	21010	673	—	
19	35.9	0.912	26.4	256.5	8.210	—	39	3.5	0.090	248	26500	848	—	
20	32.0	0.812	29.4	323.4	10.35	11	40	3.1	0.080	282	33410	1070	—	

¹ A mil is 0.001 inch.

² Max wire temp of 212° F and max ambient temp of 135° F.

Table 2
Stressed Antenna Wire

American Wire Gauge	Recommended Tension ¹ (pounds)		Weight (pounds per 1000 feet)	
	Copper-clad steel ²	Hard-drawn copper	Copper-clad steel ²	Hard-drawn copper
4	495	214	115.8	126.0
6	310	130	72.9	79.5
8	195	84	45.5	50.0
10	120	52	28.8	31.4
12	75	32	18.1	19.8
14	50	20	11.4	12.4
16	31	13	7.1	7.8
18	19	8	4.5	4.9
20	12	5	2.8	3.1

¹ Approximately one-tenth the breaking load. Might be increased 50% if end supports are firm and there is no danger of ice loading.

² Copperweld, 40% copper.

shows the maximum rated working tensions of hard-drawn and copper-clad steel wire of various sizes. These two tables can be used to select the appropriate wire size for an antenna.

Wire Tension

If the tension on a wire can be adjusted to a known value, the expected sag of the wire (**Fig 1**) may be determined before installation using **Table 2** and the nomograph of **Fig 2**. Even though there may be no convenient method to determine the tension in pounds, calculation of the expected sag for practicable working tensions is often desirable. If the calculated sag is greater than allowable it may be reduced by any one or a combination of the following:

- 1) Providing additional supports, thereby decreasing the span
- 2) Increasing the tension in the wire if less than recommended
- 3) Decreasing the size of the wire

Instructions for Using the Nomograph

1) From **Table 2**, find the weight (pounds/1000 feet) for the particular wire size and material to be used.

2) Draw a line from the value obtained above, plotted on the weight axis, to the desired span (feet) on the span axis, **Fig 2**. Note in **Fig 1** that the span is one half the distance between the supports.

3) Choose an operating tension level (in pounds) consistent with the values presented in **Table 2** (preferably less than the recommended wire tension).

4) Draw a line from the tension value chosen (plotted on the tension axis) through the point where the work axis crosses the original line constructed in step 2, and continue this new line to the sag axis.

5) Read the sag in feet on the sag axis.

Example:

Weight = 11 pounds/1000 feet

Span = 210 feet

Tension = 50 pounds

Answer: Sag = 4.7 feet

These calculations do not take into account the weight of a feed line supported by the antenna wire.

Wire Splicing

Wire antennas should preferably be made with unbroken lengths of wire. In instances where this is




Fig 1—The span and sag of a long-wire antenna.




Fig 2—Nomograph for determining wire sag. (John Elengo, Jr, K1AFR)

not feasible, wire sections should be spliced as shown in **Fig 3**. The enamel insulation should be removed for a distance of about 6 inches from the end of each section by scraping with a knife or rubbing with sandpaper until the copper underneath is bright. The turns of wire should be brought up tight around the standing part of the wire by twisting with broad-nose pliers.

The crevices formed by the wire should be completely filled with rosin-core solder. An ordinary soldering iron or gun may not provide sufficient heat to melt solder outdoors; a propane torch is desirable. The joint should be heated sufficiently so the solder flows freely into the joint when the source of heat is removed momentarily. After the joint has cooled completely, it should be wiped clean with a cloth, and then sprayed generously with acrylic to prevent corrosion.




Fig 3—Correct method of splicing antenna wire. Solder should be flowed into the wraps after the connection is completed. After cooling, the joint should be sprayed with acrylic to prevent oxidation and corrosion.

ANTENNA INSULATION

To prevent loss of RF power, the antenna should be well insulated from ground, unless of course it is a shunt-fed system. This is particularly important at the outer end or ends of wire antennas, since these points are always at a comparatively high RF potential. If an antenna is to be installed indoors (in an attic, for instance) the antenna may be suspended directly from the wood rafters without additional insulation, if the wood is permanently dry. Much greater care should be given to the selection of proper insulators when the antenna is located outside where it is exposed to wet weather.

Insulator Leakage

Antenna insulators should be made of material that will not absorb moisture. The best insulators for antenna use are made of glass or glazed porcelain. Depending on the type of material, plastic insulators may be suitable. The length of an insulator relative to its surface area is indicative of its comparative insulating ability. A long thin insulator will have less leakage than a short thick insulator. Some antenna insulators are deeply ribbed to increase the surface leakage path without increasing the physical length of the insulator. Shorter insulators can be used at low-potential points, such as at the center of a dipole. If such an antenna is to be fed with open-wire line and used on several bands, however, the center insulator should be the same as those used at the ends, because high RF potential may exist across the center insulator on some bands.

Insulator Stress

As with the antenna wire, the insulator must have sufficient physical strength to support the stress of the antenna without danger of breakage. Long elastic bands or lengths of nylon fishing line provide long leakage paths and make satisfactory insulators within their limits to resist mechanical strain. They are often used in antennas of the “invisible” type mentioned earlier.

For low-power work with short antennas not subject to appreciable stress, almost any small glass or glazed-porcelain insulator will do. Homemade insulators of Lucite rod or sheet will also be satisfactory. More care is required in the selection of insulators for longer spans and higher transmitter power.

For a given material, the breaking tension of an insulator will be proportional to its cross-sectional area. It should be remembered, however, that the wire hole at the end of the insulator decreases the effective cross-sectional area. For this reason, insulators designed to carry heavy strains are fitted with heavy metal end caps, the eyes being formed in the metal cap, rather than in the insulating material itself. The following stress ratings of antenna insulators are typical:

$\frac{5}{8}$ inch square by 4 inches long—400 lb

1 inch diameter by 7 or 12 inches long—800 lb

$1\frac{1}{2}$ inch diameter by 8, 12 or 20 inches long, with special metal end caps—5000 lb

These are rated breaking tensions. The actual working tensions should be limited to not more than 25% of the breaking rating.

The antenna wire should be attached to the insulators as shown in **Fig 4**. Care should be taken to avoid sharp angular bends in the wire when it is looped through the insulator eye. The loop should be generous enough in size that it will not bind the end of the insulator tightly. If the length of the antenna is critical, the length should be measured to the outward end of the loop, where it passes through the eye of the insulator. The soldering should be done as described earlier for the wire splice.

Strain Insulators

Strain insulators have their holes at right angles, since they are designed to be connected as shown in **Fig 5**. It can be seen that this arrangement places the insulating material under compression, rather than tension. An insulator connected this way can withstand much greater stress. Furthermore, the wire will not collapse if the insulator breaks, since the two wire loops are interlocked. Because the wire is wrapped around the insulator, however, the leakage path is reduced drastically, and the capacitance between the wire loops provides an additional leakage path. For this reason, the use of the strain insulator is usually confined to such applications as breaking up resonances in guy wires, where high levels of stress prevail, and where the RF insulation is of less importance. Such insulators might be suitable for use at low-potential points on an antenna, such as at the center of a dipole. These insulators may also be fastened in the conventional manner if the wire will not be under sufficient tension to break the eyes out.

Insulators for Ribbon-Line Antennas

Fig 6A shows the sketch of an insulator designed to be used at the ends of a folded dipole or a multiple dipole made of ribbon line. It should be made approximately as shown, out of Lucite or bakelite material




Fig 4—When fastening antenna wire to an insulator, do not make the wire loop too snug. After the connection is complete, flow solder into the turns. Then when the joint has cooled completely, spray it with acrylic.




Fig 5—Conventional manner of fastening wire to a strain insulator. This method decreases the leakage path and increases capacitance, as discussed in the text.




Fig 6—At A, an insulator for the ends of folded dipoles, or multiple dipoles made of 300-Ω ribbon. At B, a method of suspending one ribbon dipole from another in a multiband dipole system.

about 1/4 inch thick. The advantage of this arrangement is that the strain of the antenna is shared by the conductors and the plastic webbing of the ribbon, which adds considerable strength. After soldering, the screw should be sprayed with acrylic.

Fig 6B shows a similar arrangement for suspending one dipole from another in a stagger-tuned dipole system. If better insulation is desired, these insulators can be wired to a conventional insulator.

PULLEYS AND HALYARDS

Pulleys and halyards commonly used to raise and lower a wire antenna must also be capable of taking the same strain as the antenna wire and insulators. Unfortunately, little specific information on the stress ratings of most pulleys is available. Several types of pulleys are readily available at almost any hardware store. Among these are small galvanized pulleys designed for awnings and several styles and sizes of clothesline pulleys. Heavier and stronger pulleys are those used in marine work. The factors that determine how much stress a pulley will handle include the diameter of the shaft, how securely the shaft is fitted into the sheath and the size and material that the frame is made of.

Another important factor to be considered in the selection of a pulley is its ability to resist corrosion. Galvanized awning pulleys are probably the most susceptible to corrosion. While the frame or sheath usually stands up well, these pulleys usually fail at the shaft. The shaft rusts out, allowing the grooved wheel to break away under tension.

Most good-quality clothesline pulleys are made of alloys which do not corrode readily. Since they are designed to carry at least 50 feet of line loaded with wet clothing in stiff winds, they should be adequate for normal spans of 100 to 150 feet between stable supports. One type of clothesline pulley has a 4-inch diameter plastic wheel with a 1/4-inch shaft running in bronze bearings. The sheath is made of cast or forged corrosion-proof alloy. Some look-alike low-cost pulleys of this type have an aluminum shaft with no bearings. For antenna work, these cheap pulleys are of little long-term value.

Marine pulleys have good weather-resisting qualities, since they are usually made of bronze, but they are comparatively expensive and are not designed to carry heavy loads. For extremely long spans, the wood-sheathed pulleys used in "block and tackle" devices and for sail hoisting should work well.

Halyards

Table 3 shows the recommended maximum tensions for various sizes and types of line and rope suitable for hoisting halyards. Probably the best type for general amateur use for spans up to 150 or 200 feet is 1/4-inch nylon rope. Nylon is somewhat more expensive than ordinary rope of the same size, but it weathers much better. Nylon also has a certain amount of elasticity to accommodate gusts of wind, and is particularly recommended for antennas using trees as supports. A disadvantage of new nylon rope is that it stretches by a significant percentage. After an installation with new rope, it will be necessary to repeatedly take up the slack created by stretching. This process will continue over a period of several weeks, at which time most of the stretching will have taken place. Even a year after installation, however, some slack may still arise from stretching.

Most types of synthetic rope are slippery, and some types of knots ordinarily used for rope will

Table 3
Approximate Safe Working Tension for Various Halyard Materials

<i>Material</i>	<i>Dia, In.</i>	<i>Tension, Lb</i>
Manila hemp rope	1/4	120
	3/8	270
	1/2	530
	5/8	800
Polypropylene rope	1/4	270
	3/8	530
	1/2	840
Nylon rope	1/4	300
	3/8	660
	1/2	1140
7×11 galvanized sash cord	1/16	30
	1/8	125
	3/16	250
	1/4	450
High-strength stranded galvanized steel guy wire	1/8	400
	3/16	700
	1/4	1200
Rayon-filled plastic clothesline	7/32	60 to 70




Fig 7—This is one type of knot that will hold with smooth rope, such as nylon. Shown at A, the knot for splicing two ends. B shows the use of a similar knot in forming a loop, as might be needed for attaching an insulator to a halyard. Knot A is first formed loosely 10 or 12 inches from the end of the rope; then the end is passed through the eye of the insulator and knot A. Knot B is then formed and both knots pulled tight. (Richard Carruthers, K7HDB)

not hold well. **Fig 7** shows a knot that should hold well, even in nylon rope or plastic line.

For exceptionally long spans, stranded galvanized steel sash cord makes a suitable support. Cable advertised as “wire rope” usually does not weather well. A boat winch, sold at marinas and at Sears, is a great convenience in antenna hoisting (and usually a necessity with metal halyards).

Antennas of Aluminum Tubing

Aluminum is a malleable, ductile metal with a mass density of 2.70 grams per cubic centimeter. The density of aluminum is approximately 35% that of iron and 30% that of copper. Aluminum can be polished to a high brightness, and it will retain this polish in dry air. In the presence of moisture, aluminum forms an oxide coating (Al_2O_3) that protects the metal from further corrosion. Direct contact with certain metals, however (especially ferrous metals such as iron or steel), in an outdoor environment can bring about galvanic corrosion of aluminum and its alloys. Some protective coating should be applied to any point of contact between two dissimilar metals. Much of this information about aluminum and aluminum tubing was prepared by Ralph Shaw, K5CAV.

Aluminum is non-toxic; it is used in cooking utensils and to hold and cover “TV dinners” and other frozen foods, so it is certainly safe to work with. The ease with which it can be drilled or sawed makes it a pleasure to work with. Aluminum products lend themselves to many and varied applications.

Aluminum alloys can be used to build amateur antennas, as well as for towers and supports. Light weight and high conductivity make aluminum ideal for these applications. Alloying lowers the conductivity ratings, but the tensile strength can be increased by alloying aluminum with one or more metals such as manganese, silicon, copper, magnesium or zinc. Cold rolling can be employed to further increase the strength.

A four-digit system is used to identify aluminum alloys, such as 6061. Aluminum alloys starting with a 6 contain di-magnesium silicide (Mg_2Si). The second digit indicates modifications of the original alloy or impurity limits. The last two digits designate different aluminum alloys within the category indicated by the first digit.

In the 6000 series, the 6061 alloy is commonly used for antenna applications. Type 6061 has good resistance to corrosion and has medium strength. A further designation like T-6 denotes thermal treatment (heat tempering). More information on the available aluminum alloys can be found in **Table 4**.

Table 4
Aluminum Numbers for Amateur Use

<i>Common Alloy Numbers</i>	
<i>Type</i>	<i>Characteristic</i>
2024	Good formability, high strength
5052	Excellent surface finish, excellent corrosion resistance, normally not heat treatable for high strength
6061	Good machinability, good weldability, can be brittle at high temps
7075	Good formability, high strength
<i>Common Tempers</i>	
<i>Type</i>	<i>Characteristics</i>
T0	Special soft condition
T3	Hard
T6	Very hard, possibly brittle
TXXX	Three digit tempers—usually specialized high strength heat treatments, similar to T6
<i>General Uses</i>	
<i>Type</i>	<i>Uses</i>
2024-T3	Chassis boxes, antennas, anything that will be bent or flexed repeatedly
7075-T3	
6061-T6	Mounting plates, welded assemblies or machined parts

SELECTING ALUMINUM TUBING

Table 5 shows the standard sizes of aluminum tubing that are stocked by most aluminum suppliers or distributors in the United States and Canada. Note that all tubing comes in 12-foot lengths (local hardware stores sometimes stock 6 and 8-foot lengths). Note also that any diameter tubing will fit snugly into the next larger size, if the larger size has a 0.058-inch wall thickness. For example, $5/8$ -inch tubing has an outside diameter of 0.625 inch. This will fit into $3/4$ -inch tubing with a 0.058-inch wall, which has an inside diameter of 0.634 inch. A clearance of 0.009 inch is just right for a slip fit or for slotting the tubing and then using hose

Table 5
Aluminum Tubing Sizes

6061-T6 (61S-T6) Round Aluminum Tube In 12-Foot Lengths

Tubing Diameter	Wall Thickness		Approximate Weight			Tubing Diameter	Wall Thickness		Approximate Weight				
	Inches	Stubs Ga.	ID, Inches	Pounds Per Foot	Pounds Per Length		Inches	Stubs Ga.	ID, Inches	Pounds Per Foot	Pounds Per Length		
$3/16$ in.	0.035	(No. 20)	0.117	0.019	0.228	$1\ 1/8$ in.	0.035	(No. 20)	1.055	0.139	1.668		
	0.049	(No. 18)	0.089	0.025	0.330		0.058	(No. 17)	1.009	0.228	2.736		
$1/4$ in.	0.035	(No. 20)	0.180	0.027	0.324	$1\ 1/4$ in.	0.035	(No. 20)	1.180	0.155	1.860		
	0.049	(No. 18)	0.152	0.036	0.432		0.049	(No. 18)	1.152	0.210	2.520		
	0.058	(No. 17)	0.134	0.041	0.492		0.058	(No. 17)	1.134	0.256	3.072		
$5/16$ in.	0.035	(No. 20)	0.242	0.036	0.432	$1\ 3/8$ in.	0.065	(No. 16)	1.120	0.284	3.408		
	0.049	(No. 18)	0.214	0.047	0.564		0.083	(No. 14)	1.084	0.357	4.284		
	0.058	(No. 17)	0.196	0.055	0.660		0.035	(No. 20)	1.305	0.173	2.076		
$3/8$ in.	0.035	(No. 20)	0.305	0.043	0.516	$1\ 1/2$ in.	0.058	(No. 17)	1.259	0.282	3.384		
	0.049	(No. 18)	0.277	0.060	0.720		0.035	(No. 20)	1.430	0.180	2.160		
	0.058	(No. 17)	0.259	0.068	0.816		0.049	(No. 18)	1.402	0.260	3.120		
	0.065	(No. 16)	0.245	0.074	0.888		0.058	(No. 17)	1.384	0.309	3.708		
$7/16$ in.	0.035	(No. 20)	0.367	0.051	0.612	$1\ 3/4$ in.	0.065	(No. 16)	1.370	0.344	4.128		
	0.049	(No. 18)	0.339	0.070	0.840		0.083	(No. 14)	1.334	0.434	5.208		
	0.065	(No. 16)	0.307	0.089	1.068		*0.125	$1/8$ in.	1.250	0.630	7.416		
$1/2$ in.	0.028	(No. 22)	0.444	0.049	0.588	2 in.	*0.250	$1/4$ in.	1.000	1.150	14.832		
	0.035	(No. 20)	0.430	0.059	0.708		$1\ 5/8$ in.	0.035	(No. 20)	1.555	0.206	2.472	
	0.049	(No. 18)	0.402	0.082	0.984			0.058	(No. 17)	1.509	0.336	4.032	
	0.058	(No. 17)	0.384	0.095	1.040			$1\ 3/4$ in.	0.058	(No. 17)	1.634	0.363	4.356
	0.065	(No. 16)	0.370	0.107	1.284				0.083	(No. 14)	1.584	0.510	6.120
$5/8$ in.	0.028	(No. 22)	0.569	0.061	0.732	$1\ 7/8$ in.			0.058	(No. 17)	1.759	0.389	4.668
	0.035	(No. 20)	0.555	0.075	0.900		2 in.		0.049	(No. 18)	1.902	0.350	4.200
	0.049	(No. 18)	0.527	0.106	1.272				0.065	(No. 16)	1.870	0.450	5.400
	0.058	(No. 17)	0.509	0.121	1.452			0.083	(No. 14)	1.834	0.590	7.080	
	0.065	(No. 16)	0.495	0.137	1.644			*0.125	$1/8$ in.	1.750	0.870	9.960	
$3/4$ in.	0.035	(No. 20)	0.680	0.091	1.092	$2\ 1/4$ in.		*0.250	$1/4$ in.	1.500	1.620	19.920	
	0.049	(No. 18)	0.652	0.125	1.500		$2\ 1/2$ in.	0.049	(No. 18)	2.152	0.398	4.776	
	0.058	(No. 17)	0.634	0.148	1.776			0.065	(No. 16)	2.120	0.520	6.240	
	0.065	(No. 16)	0.620	0.160	1.920			0.083	(No. 14)	2.084	0.660	7.920	
	0.083	(No. 14)	0.584	0.204	2.448			$2\ 1/2$ in.	0.065	(No. 16)	2.370	0.587	7.044
$7/8$ in.	0.035	(No. 20)	0.805	0.108	1.308	0.083			(No. 14)	2.334	0.740	8.880	
	0.049	(No. 18)	0.777	0.151	1.810	*0.125	$1/8$ in.		2.250	1.100	12.720		
	0.058	(No. 17)	0.759	0.175	2.100	*0.250	$1/4$ in.		2.000	2.080	25.440		
	0.065	(No. 16)	0.745	0.199	2.399	3 in.	0.065		(No. 16)	2.870	0.710	8.520	
	1 in.	0.035	(No. 20)	0.930	0.123		1.476	*0.125	$1/8$ in.	2.700	1.330	15.600	
0.049		(No. 18)	0.902	0.170	2.040		*0.250	$1/4$ in.	2.500	2.540	31.200		
0.058		(No. 17)	0.884	0.202	2.424								
0.065		(No. 16)	0.870	0.220	2.640								
0.083		(No. 14)	0.834	0.281	3.372								

*These sizes are extruded. All other sizes are drawn tubes.

clamps. Always get the next larger size and specify a 0.058-inch wall to obtain the 0.009-inch clearance.

A little figuring with Table 5 will give you all the information you need to build a beam, including what the antenna will weigh. The 6061-T6 type of aluminum has a relatively high strength and has good workability. It is highly resistant to corrosion and will bend without taking a “set.”

SOURCES FOR ALUMINUM

Aluminum can be purchased new, and suppliers are listed in Chapter 21. But don't overlook the local metal scrap yard. The price varies, but between 35 and 60 cents per pound is typical for scrap aluminum. Some aluminum items to look for include aluminum vaulting poles, tent poles, tubing and fittings from scrapped citizen's band antennas, and aluminum angle stock. The scrap yard may even have a section or two of triangular aluminum tower.

Aluminum vaulting poles are 12 or 14 feet long and range in diameter from 1½ to 1¾ inches. These poles are suitable for the center-element sections of large 14-MHz beams or as booms for smaller antennas. Tent poles range in length from 2½ to 4 feet. The tent poles are usually tapered; they can be split on the larger end and then mated with the smaller end of another pole of the same diameter. A small stainless-steel hose clamp (sometimes also available at scrap yards!) can be used to fasten the poles at this junction. A 14 or 21-MHz element can be constructed from several tent poles in this fashion. If a longer continuous piece of tubing is available, it can be used for the center section to decrease the number of junctions and clamps.

Other aluminum scrap is sometimes available, such as US Army aluminum mast sections designated AB-85/GRA-4 (J&H Smith Mfg). These are 3 foot sections with a 1⅝ inch diameter. The ends are swaged so they can be assembled one into another. These are ideal for making a portable mast for a 144-MHz beam or for Field Day applications.

CONSTRUCTION WITH ALUMINUM TUBING

Most antennas built for frequencies of 14 MHz and above are made to be rotated. Constructing a rotatable antenna requires materials that are strong, lightweight and easy to obtain. The materials required to build a suitable antenna will vary, depending on many factors. Perhaps the most important factor that determines the type of hardware needed is the weather conditions normally encountered. High winds usually don't cause as much damage to an antenna as does ice, especially ice along with high winds. Aluminum element and boom sizes should be selected so the various sections of tubing will telescope to provide the necessary total length.

The boom size for a rotatable Yagi or quad should be selected to provide stability to the entire system. The best diameter for the boom depends on several factors; most important are the element weight, number of elements and overall length. Tubing of 1¼-inch diameter can easily support 3-element 28-MHz arrays and perhaps a 2-element 21-MHz system. A 2-inch diameter boom will be adequate for larger 28-MHz antennas or for harsh weather conditions, and for antennas up to three elements on 14 MHz or four elements on 21 MHz. It is not recommended that 2-inch diameter booms be made any longer than 24 feet unless additional support is given to reduce both vertical and horizontal bending forces. Suitable reinforcement for a long 2-inch boom can consist of a truss or a truss and lateral support, as shown in Fig 8.




Fig 8—A long boom needs both vertical and horizontal support. The cross bar mounted above the boom can support a double truss to help keep the antenna in position.

A boom length of 24 feet is about the point where a 3-inch diameter begins to be very worthwhile. This dimension provides a considerable improvement in overall mechanical stability as well as increased clamping surface area for element hardware. Clamping surface area is extremely important if heavy icing is common and rotation of elements around the boom is to be avoided. Pinning an element to the boom with a large bolt helps in this regard. On smaller diameter booms, however, the elements sometimes work loose and tend to elongate the pinning holes in both the element and the boom. After some time the elements shift their positions slightly (sometimes from day to day!) and give a rather ragged appearance to the system, even though this doesn't generally harm the electrical performance.

A 3-inch diameter boom with a wall thickness of 0.065 inch is satisfactory for antennas up to about a 5-element, 14-MHz array that is spaced on a 40-foot long boom. A truss is recommended for any boom longer than 24 feet.

There is no RF voltage at the center of a parasitic element, so no insulation is required in mounting elements that are centered on the boom (driven elements excepted). This is true whether the boom is metal or a nonconducting material. Metal booms have a small "shortening effect" on elements that run through them. With materials sizes commonly employed, this is not more than 1% of the element length, and may not be noticeable in many applications. It is just perceptible with 1/2-inch tubing booms used on 432 MHz, for example. Design-formula lengths can be used as given, if the matching is adjusted in the frequency range one expects to use. The center frequency of an all-metal array will tend to be 0.5 to 1% higher than a similar system built of wooden supporting members.




Fig 9—Half-element designs for Yagi antennas. The other side of the element is identical, and the center section should be a single piece twice as long as the length shown here for the largest diameter section. Use 0.058-inch-wall aluminum tubing throughout. Broken lines indicate double tubing thickness, where one tube is inserted into another. The overlap insertion depth into a tube two sizes larger, where shown, should be at least two inches. Maximum survival wind speeds without ice are shown adjacent to each design; values enclosed in parentheses are survival speeds for 1/4 inch of radial ice.

Element Assembly

While the maximum safe length of an antenna element depends to some extent on its diameter, the only laws that specify the minimum diameter of an element are the laws of nature. That is, the element must be rugged enough to survive whatever weather conditions it will encounter.

Fig 9 shows tapered Yagi element designs that will survive winds in excess of 80 mi/h. With a 1/4-inch thickness of radial ice, these designs will withstand winds up to approximately 60 mi/h. (Ice increases the wind area but does not increase the strength of the element.) More rugged designs are shown in **Fig 10**. With no ice loading, these elements will survive in 120-mi/h winds, and in winds exceeding 85 mi/h with 1/4 inch of radial ice. If you lose an antenna made with elements like these, you'll have plenty of company among your neighbors with commercially made antennas!

Figs 9 and 10 show only half elements. When the element is assembled, the largest size tubing for each element should be double the length shown in the drawing, with its center being the point of attachment to the boom. These designs are somewhat conservative, in that they are self-resonant slightly below the frequency indicated for each design. Telescoping the outside end sections to shorter lengths for resonance will




Fig 10—A more rugged schedule of taper proportions for Yagi half-elements than Fig 9. See the Fig 9 caption for details. Table 5 gives details of aluminum tubing sizes.

increase the survival wind speeds. Conversely, lengthening the outside end sections will reduce the survival wind speeds. [See Bibliography listing for David Leeson, W6QHS (now W6NL), at the end of this chapter.]

Fig 11 shows several methods of fastening antenna element sections together. The slot and hose clamp method shown in Fig 11A is probably the best for joints where adjustments are required. Generally, one adjustable joint per element half is sufficient to tune the antenna. Stainless-steel hose clamps (beware—some “stainless steel” models do not have a stainless screw and will rust) are recommended for longest antenna life. Table 6 shows available hose-clamp sizes.

Figs 11B, 11C and 11D show possible fastening methods for joints that do not require adjustment. At B, machine screws and nuts hold the elements in place. At C, sheet metal screws are used. At D, rivets secure the tubing. If the antenna is to be assembled perma-




Fig 11—Methods of connecting telescoping tubing sections to build beam elements. See text for a discussion of each method.

**Table 6
Hose-Clamp Diameters**

Size No.	Clamp Diameter (In.)	
	Min	Max
06	7/16	7/8
08	7/16	1
10	—	1 1/8
12	5/8	1 1/4
16	—	1 1/2
20	7/8	1 3/4
24	1 1/8	2
28	1 3/8	2 1/4
32	1 5/8	2 1/2
36	1 7/8	2 3/4
40	2 1/8	3

nently, rivets are the best choice. Once in place, they are permanent. They will never work free, regardless of vibration or wind. If aluminum rivets with aluminum mandrels are used, they will never rust. In addition, there is no danger of dissimilar-metal corrosion with aluminum rivets and aluminum antenna elements. If the antenna is to be disassembled and moved periodically, either B or C will work. If machine screws are used, however, take all possible precautions to keep the nuts from vibrating free. Use lock washers, lock nuts and flexible sealant such as silicone bathtub sealant to keep the hardware in place.

Very strong elements can be made by using a double thickness of tubing, made by telescoping one size inside another for the total length. This is usually done at the center of an element where more element strength is desired at the boom support point, as in the 14-MHz element in Fig 10. Other materials can be used as well, such as wood dowels, fiberglass rods, and so forth.

In each case where a smaller diameter length of tubing is telescoped inside a larger diameter one, it's a good idea to coat the inside of the joint with Penetrox or a similar substance to ensure a good electrical bond. Antenna elements have a tendency to vibrate when they are mounted on a tower, and one way to dampen the vibrations is by running a piece of clothesline rope through the length of the element. Cap or tape the end of the element to secure the clothesline. If mechanical requirements dictate (a U-bolt going through the center of the element, for instance), the clothesline may be cut into two pieces.

Antennas for 50 MHz need not have elements larger than $\frac{1}{2}$ -inch diameter, although up to 1 inch is used occasionally. At 144 and 220 MHz the elements are usually $\frac{1}{8}$ to $\frac{1}{4}$ inch in diameter. For 420 MHz, elements as small as $\frac{1}{16}$ -inch diameter work well, if made of stiff rod. Aluminum welding rod of $\frac{3}{32}$ to $\frac{1}{8}$ -inch diameter is fine for 420-MHz arrays, and $\frac{1}{8}$ inch or larger is good for the 220-MHz band. Aluminum rod or hard-drawn wire works well at 144 MHz.

Tubing sizes recommended in the paragraph above are usable with most formula dimensions for VHF/UHF antennas. Larger diameters broaden the frequency response; smaller ones sharpen it. Much smaller diameters than those recommended will require longer elements, especially in 50-MHz arrays.

Element Taper and Electrical Length

The builder should be aware of one important aspect of telescoping or tapered elements. When the element diameters are tapered, as shown in Figs 9 and 10, the electrical length is not the same as it would be for a cylindrical element of the same total length. Length corrections for tapered elements are discussed in Chapter 2.

Other Materials for Antenna Construction

Wood is very useful in antenna work. It is available in a great variety of shapes and sizes. Rug poles of wood or bamboo make fine booms. Bamboo is quite satisfactory for spreaders in quad antennas.

Round wood stock (doweling) is found in many hardware stores in sizes suitable for small arrays. Wood is good for the framework of multibay arrays for the higher bands, as it keeps down the amount of metal in the active area of the array. Square or rectangular boom and frame materials can be cut to order in most lumber yards if they are not available from the racks in suitable lengths.

Wood used for antenna construction should be well seasoned and free of knots or damage. Available materials vary, depending on local sources. Your lumber dealer can help you better than anyone else in choosing suitable materials. Joining wood members at right angles can be done with gusset plates, as shown in Fig 12. These can be made of thin outdoor-grade plywood or Masonite. Round materials can be handled in ways similar to those used with metal components, with U clamps and with other hardware.

In the early days of Amateur Radio, hardwood was used as insulating material for antennas, such as at the center and ends of dipoles, or for the center




Fig 12—Wood members can be joined at right angles using gusset plates.

insulator of a driven element made of tubing. Wood dowels cut to length were the most common source. To drive out moisture and prevent the subsequent absorption of moisture into the wood, it was treated before use by boiling it in paraffin. Of course today's technology has produced superior materials for insulators in terms of both strength and insulating qualities. However, the technique is worth consideration in an emergency situation or if low cost is a prime requirement. "Baking" the wood in an oven for a short period at 200°F should drive out any moisture. Then treatment as described in the next paragraph should prevent moisture absorption. The use of wood insulators should be avoided at high-voltage points if high power is being used.

All wood used in outdoor installations should be protected from the weather with varnish or paint. A good grade of marine spar varnish or polyurethane varnish will offer protection for years in mild climates, and one or more seasons in harsh climates. Epoxy-based paints also offer good protection.

Plastics

Plastic tubing and rods of various sizes are available from many building-supplies stores. The uses for the available plastic materials are limited only by your imagination. Some amateurs have built beam antennas for VHF using wire elements run inside thin PVC plumbing pipe. The pipe gives the elements a certain amount of physical strength. Other hams have built temporary antennas by wrapping plastic pipe with aluminum foil or other conductive material. Plastic plumbing pipe fittings can also be used to enclose baluns and as the center insulator or end insulators of a dipole, as shown in **Fig 13**. Plastic or Teflon rod can be used as the core of a loading coil for a mobile antenna (**Fig 14**) but the material for this use should be selected carefully. Some plastics become quite warm in the presence of a strong RF field, and the loading-coil core might melt or catch fire!

Fiberglass

Fiberglass poles are the preferred material for spreaders for quad antennas. They are lightweight, they withstand harsh weather well, and their insulating qualities are excellent. One disadvantage of fiberglass poles is that they may be crushed rather easily. Fracturing occurs at the point where the pole is crushed, causing it to lose its strength. A crushed pole is next to worthless. Some amateurs have repaired crushed poles with fiberglass cloth and epoxy, but the original strength is nearly impossible to regain.

Fiberglass poles can also be used to construct other types of antennas. Examples are helically wound Yagi elements or verticals, where a wire is wound around the pole.

CONCLUSION

The antenna should be put together with good quality hardware. Stainless steel is best for long life. Rust




Fig 13—Plastic plumbing parts can be used as antenna center and end insulators.




Fig 14—A mobile-antenna loading coil wound on a polystyrene rod.

will quickly attack plated steel hardware, making nuts difficult, if not impossible, to remove. If stainless-steel muffler clamps and hose clamps are not available, the next best thing is to have them plated. If you can't have them plated, at least paint them with a good zinc-chromate primer and a finish coat or two.

Galvanized steel generally has a longer life than plated steel, but this depends on the thickness of the galvanizing coat. Even so, in harsh climates rust will usually develop on galvanized fittings in a few years. For the ultimate in long-term protection, galvanized steel should be further protected with zinc-chromate primer and then paint or enamel before exposing it to the weather.

Good quality hardware is expensive initially, but if you do it right the first time, you won't have to take the antenna down in a few years and replace the hardware. When the time does come to repair or modify the antenna, nothing is more frustrating than fighting rusty hardware at the top of the tower.

Basically any conductive material can be used as the radiating element of an antenna. Almost any insulating material can be used as an antenna insulator. The materials used for antenna construction are limited mainly by physical considerations (required strength and resistance to outdoor exposure) and by the availability of materials. Don't be afraid to experiment with radiating materials and insulators.

BIBLIOGRAPHY

Source material and more extended discussion of topics covered in this chapter can be found in the references given below.

J. J. Elengo, Jr., "Predicting Sag in Long Wire Antennas," *QST*, Jan 1966, pp 57-58.

D. B. Leeson, *Physical Design of Yagi Antennas* (Newington, CT: ARRL); 1992.