





DC VOLTAGE

| | TALK | STBY | | TALK | STBY | | TALK | STBY | | TALK | STBY | | TALK | STBY | | TALK | STBY |
|----|------|--------|----|------|--------|-------|------|--------|----|------|--------|----|------|--------|----|------|--------|
| 1 | 4.94 | (4.93) | 16 | 0.01 | (4.56) | 22 | 4.50 | (4.46) | 48 | 4.65 | (4.72) | 54 | 0 | (0) | 60 | 4.63 | (4.59) |
| 3 | 4.45 | (0) | 17 | 0.01 | (0) | 29-32 | 0 | (0) | 51 | 4.7 | (4.76) | 55 | 0 | (4.75) | 61 | 4.63 | (4.59) |
| 10 | 0.01 | (0) | 20 | 4.79 | (4.9) | 45 | 3.75 | (3.65) | 52 | 0 | (0) | 56 | 4.63 | (4.59) | 63 | 4.60 | (4.57) |
| 12 | 0.01 | (4.58) | 21 | 4.49 | (4.47) | 46 | 0.3 | (3.49) | 53 | 0 | (0) | 57 | 0 | (0) | | | |

| Option | Diode | Details of Option |
|--------|-------|---------------------------|
| | | Contents |
| D911 | (D) | 8 → 2 |
| | | TALK Time 8 Hours 6 Hours |

