

SERVICE MANUAL

COLOR TELEVISION

SIMPLE-2

A part of contents is adequate.
Re-issuing is under request.

NOTICES BEFORE REPAIRING

To make the best use of this equipment, make sure to obey the following items when repairing (or mending).

1. Do not damage or melt the tunicate of the leading wire on the AC1 side, including the power supply cord.
2. Do not soil or stain the letters on the spec. inscription plates, notice labels, fuse labels, etc.
3. When repairing the part extracted from the conducted side of the board pattern, fix it firmly with applying bond to the pattern and the part.
4. Restore the following items after repairing.
 - 1) Conditions of soldering of the wires (especially, the distance on the AC1 side).
 - 2) Conditions of wiring, bundling of wires, etc.
 - 3) Types of the wires.
 - 4) Attachment conditions of all types of the insulation.
5. After repairing, always measure the insulation resistance and perform the voltage-withstand test (See Fig-1).
 - 1) The insulation resistance must be 7.3 MΩ to 10.1 MΩ when applying 500V per second.
 - 2) In the voltage withstand test, apply 3.0 kV for 1 minute and check that the GO lamp lights.

Insulation resistance: 7.3 MΩ to 10.1 MΩ(500 V/s)
Voltage-withstand: 3.0 kV for 1 minute




Fig-1

- * Breaking current set to 10 mA.
- * Connect the safety checker as shown in Fig-1, then measure the resistance and perform the test.
- * Do not touch the equipment during testing.
- * For details of the safety checker, refer to the supplied Operation manual.

When servicing and checking on the TV, note the followings.

1. Keep the notices
As for the places which need special attentions, they are indicated with the labels or seals on the cabinet, chassis and parts. Make sure to keep the indications and notices in the operation manual.
2. Avoid an electric shock.
There is a high voltage part inside. Avoid an electric shock while the electric current is flowing.
3. Use the designated parts.
The parts in this equipment have the specific characters of incombustibility and withstand voltage for safety.
Therefore, the part which is replaced should be used the part which has the same character. Especially as to the important parts for safety which is indicated in the circuit diagram or the table of parts as a \triangle mark, the designated parts must be used.
4. Put parts and wires in the original position after assembling or wiring.
There are parts which use the insulation material such as a tube or tape for safety, or which are assembled so that these parts do not contact with the printed board. The inside wiring is designed not to get closer to the pyrogenic parts and high voltage parts. Therefore, put these parts in the original positions.
5. Take care of the cathode-ray tube.
By setting an explosion-proof cathode-ray tube is set in this equipment, safety is secured against implosion.
However, when removing it or serving from backward, it is dangerous to give a shock. Take enough care to deal with it.
6. Avoid an X-ray.
Safety is secured against an X-ray by considering about the cathode-ray tube and the high voltage peripheral circuit, etc. Therefore, when repairing the high voltage peripheral circuit, use the designated parts and do not change the circuit. Repairing except indicates causes rising of high voltage, and the cathode-ray tube emits an X-ray.
7. Perform a safety check after servicing.
Confirm that the screws, parts and wiring which were removed in order to service are put in the original positions, or whether there are the portions which are deteriorated around the places serviced.



Safety Components Symbol

This symbol is given to important parts which serve to maintain the safety of the product, and which are made to confirm to special Safety Specifications.
Therefore, when replacing a component with this symbol make absolutely sure that you use a designated part.

SPECIFICATIONS

Tuner system	Frequency synthesized tuner
Picture tube	14 in. (34 cm "V"), 90 degree deflection
TV system	PAL (B/G, D/K, I), SECAM (D/K, L)
Channel coverage	VHF: E2-E12
	UHF: E21-E69
	CABLE: S1-S41
Antenna input	75 ohms, unbalanced
Video input	1.0 Vp-p, 75 ohms, unbalanced
Video output	1.0 Vp-p, 75 ohms, unbalanced
Audio input	-3.8 dBs, 50 kohm
Audio output	-3.8 dBs less than 1 kohm
Operating temperature	5°C to 40°C
Power requirements	220-240 V AC, 50 Hz
Power consumption	58 watts
Standby	2 watts
Dimensions	364(W) x 315(H) x 364(D) mm
	(14 ³ / ₈ x 12 ¹ / ₂ x 14 ³ / ₈ in.)
Weight	Approx. 10.5 kg (23.1 lbs.)

• Design and specifications are subject to change without notice.

ACCESSORIES LIST

DESCRIPTIONで判断できない物は "REFERENCE NAME LIST" を参照してください。
If can't understand for Description please kindly refer to "REFERENCE NAME LIST".

REF. NO	PART NO.	KANRI NO.	DESCRIPTION
1	8A-JB8-901-010	IB,K (E)	-C1400<KY>
1	8A-JB8-903-010	IB,EZ (EGDSI)	<EZY>
1	8A-JB8-904-010	IB,KH (E/R/CZ/PO)	-C1400<KHY>
2	8A-JB4-610-010	RC UNIT,RC-AVT02	

DISASSEMBLY INSTRUCTIONS

1. REAR CABINET REMOVAL

- (1) Remove eight screws ①, then remove the rear cabinet in the direction of the arrow.
(See Figure1-1)




Figure 1-1

2. HIGH-VOLTAGE CAP (ANODE CAP) REMOVAL

2-1. Cautions before Removing

Discharge the anode voltage

- (1) The anode voltage is not discharged completely from the CRT of this unit even after the power is turned off. Be sure to discharge the residual anode voltage before removing the anode cap.

Do not use pliers

- (2) Do not use pliers, etc. to remove the anode cap. If you used pliers and bent the hook to remove the cap, the spring characteristics of the hook could be lost, and when reinstalled, the cap would come off from the CRT anode button easily, causing an accident.

Do not turn the anode cap

- (3) If the anode cap is turned in the direction of its circumference, the hook is likely to come off.




Figure 2-1

2-2. Anode Cap Removal

Discharge the anode voltage. (See Figure 2-1)

- (1) Connect a flat-bladed screwdriver to the CRT GND via an alligator clip.
- (2) Use a tester to check the end of the screwdriver and ground of the TV for continuity.
- (3) Touch the hook with the end of the screwdriver.
Caution : Be careful not to damage the anode cap.
- (4) Turn over the anode cap.

Caution : Be careful not to damage the anode cap.




Figure 2-2

- (5) Push the anode cap with your thumb in the direction of arrow ① as shown in the figure, then lift the cap in the direction of arrow ② to release the hook on one side. (See Figure 2-3)




Figure 2-3

- (6) Turn over the anode cap on the side where the hook was released and pull out the cap in the direction opposite to that on which the cap was pushed. (See Figure 2-4)

Caution : Do not pull out the anode cap straight up.
: Do not pull the cap forcibly. After removing the cap, check that the hook is not deformed.




Figure 2-4

3. ANODE CAP REINSTALLTION

Observe the cautions carefully so that no accident occurs due to a defect in installing the anode cap and so it does not come off.

3-1. Caution before Reinstalling

Never turn the anode cap after installing it

Never re-use the hook when it has been deformed

- (1) If the anode cap is turned after it is installed, it may come off. Therefore, arrange the high-voltage cable before attaching the anode cap. (See Figure 3-1)
- (2) If you have attached the anode cap before arranging the high-voltage cable, arrange the cable carefully so the cap does not turn.




Figure 3-1

3-2. Anode cap reinstallation

- (1) Use a clean cloth moistened slightly with alcohol to clean the installation section. (See Figure 3-2)
Caution : Check that the installation section is free from dust, foreign matter, etc.
- (2) Coat the anode cap installation circumference with an appropriate amount of the specified silicone grease (KS-650N).
Caution : Be careful that silicone grease does not enter the anode button.




Figure 3-2

- (3) Eliminate twisting, etc. of the high-voltage cable and arrange it so that no twisting occurs. (See Figure 3-3)

Caution : If the cable is not arranged correctly, the anode cap could turn and cause an installation defect.




Figure 3-3

- (4) Turn over the rubber cap symmetrically on the left and right. (See Figure 3-4)

Caution : Take great care not to damage the anode cap.




Figure 3-4

- (5) Fit your forefinger over the projection at the center of the cap and hold the cap between your thumb and middle finger. (See Figure 3-5)




Figure 3-5

- (6) Apply the hook on one side to the anode button as shown on the figure. (See Figure 3-6)
Caution : Check that the hook is held securely.
- (7) Apply the hook on the other side to the anode button as shown in Figure 3-7.





Figure 3-6




Figure 3-7

- (8) Pull the anode cap slightly with the rubber cap turned over and visually check that the hook is engaged securely.
- (9) Release your hand from the rubber cap of the anode cap.
Caution : Cover the anode cap so that it does not lift.
- (10) Hold the skirt of the anode cap slightly to improve the close contact between the cap and CRT.
- (11) Check that the anode cap is in close contact with the CRT. (See Figure 3-8)





Figure 3-8

4. NECK C.B. REMOVAL

- (1) Remove the NECK C.B. in the direction of arrow ①
(See Figure 4-2).

5. MAIN C.B REMOVAL

- (1) Remove connector (P601).
- (2) Remove connector (P801).
- (3) Remove connector (P802).
- (4) Remove connector (P401).
- (5) Pull out the MAIN C.B. in the direction of the arrow ② (See Figure 4-2).



ELECTRICAL MAIN PARTS LIST

DESCRIPTIONで判断できない物は "REFERENCE NAME LIST" を参照してください。
If can't understand for Description please kindly refer to "REFERENCE NAME LIST".


REF. NO	PART NO.	KANRI NO.	DESCRIPTION	REF. NO	PART NO.	KANRI NO.	DESCRIPTION
IC				C523	87-015-695-010		CAP,E 1MF-50V
	SI-AL2-416-00B	IC,AT24C16-10PC		C524	87-015-695-010		CAP,E 1MF-50V
	S1-DW1-95D-E2Q	C-IC,DW92195B7T-DE2		C601	87-010-553-080		CAP,E 47MF-16V
	S1-KA7-805-000	IC,KA7805		C602	87-010-544-080		CAP,E 0.1MF-50V
	S1-KRT-300-000	IC,KRT30		C606	87-016-126-080		CAP,E 470MF-16V
	S1-STV-223-8DQ	C-IC,STV2238D		C611	87-010-553-080		CAP,E 47MF-16V
△				C620	87-010-405-040		CAP,E 10MF-50V
	S4-850-M04-710	MODULE POWER DPM001T1A		C702	87-015-695-010		CAP,E 1MF-50V
	S1-STV-813-100	IC,STV8131		C703	87-010-553-080		CAP,E 47MF-16V
	87-JB1-605-010	IC,TDA1771		C704	87-010-237-910		CAP,E 1000MF-16V
	S1-TDA-610-3Q0	IC,TDA6103Q		C706	87-015-694-080		CAP,E 0.47MF-50V
	S1-TDA-726-7A0	IC,TDA7267A		C801	SC-L1S-C34-74M		CAP,0.47MF-275V
TRANSISTOR				C803	SC-CXF-3A4-72Z		CAP,CER 4700PF-1KV
	87-A30-492-080	TR,2SC5343Y		C804	SC-CXF-3A4-72Z		CAP,CER 4700PF-1KV
	ST-KTC-320-700	TR,KTC3207		C805	87-A10-003-090		CAP,E 100MF-400V
	87-A30-050-010	TR,2SD2499		C807	SC-MYU-3C2-22J		CAP,M 2200PF-1.6KV
	ST-R33-300-9DB	TR,STA933-Y		C809	87-A12-170-010		CAP,CER 1000PF-4.0KV
△				C812	87-A12-170-010		CAP,CER 1000PF-4.0KV
	ST-2SK-267-100	TR,2SK2671		C814	SC-CYR-3A4-71K		CAP,CER 470PF-1KV
	ST-KSA-101-3Y0	TR,KSA1013Y		C815	87-016-249-090		CAP,E 100MF-160V
DIODE				C818	87-016-249-090		CAP,E 100MF-160V
	87-A40-246-080	DIODE,1N4148		C819	87-016-299-080		CAP,E 10MF-100V
	SD-1SS-85T-A00	DIODE,1SS85TA		C820	87-A10-493-080		CAP,E 1000MF-25V
	SD-UZ3-3B0-000	ZENER,UZ-33B		C822	87-010-112-040		CAP,E 100MF-16V
	SD-TZX-5V1-B00	ZENER,TZX5V1B		C825	87-016-638-080		CAP,E 22MF-50V
	SD-BYW-360-000	DIODE,BYW36		C826	87-010-408-040		CAP,E 4.7MF-50V
	SD-BY2-280-000	DIODE,BY228		C827	87-010-285-010		CAP,E 2200MF-16V
	SD-TZX-5V6-B00	ZENER,TZX5V6B		C828	87-010-112-040		CAP,E 100MF-16V
	SD-UZ3-R9B-000	ZENER,UZ-3.9B		C829	87-010-405-040		CAP,E 10MF-50V
	SD-BYW-760-000	DIODE,BYW76		C830	87-016-126-080		CAP,E 470MF-16V
	SD-BYW-340-000	DIODE,BYW34		C842	87-016-515-080		CAP,CER 1000PF-1KV
	SD-R2M-000-000	ZENER,R2M		C850	87-010-553-080		CAP,E 47MF-16V
	SD-LT2-A05-G00	DIODE,LT2A05G		D706	SD-LH2-PR0-000		LED BLOCK LH-2P-R
MAIN C.B				△F801	S5-FSC-B40-22R		FUSE CERA 4A 250V
	C101	87-015-695-010	CAP,E 1MF-50V	JS02	S4-859-109-950		JACK PIN BOARD PH-JB-9710A
	C102	87-010-408-040	CAP,E 4.7MF-50V	L101	S5-8N0-000-044		COIL VCO TRF-V010
	C103	87-010-285-010	CAP,E 2200MF-16V	L301	S5-CPZ-100-K04		COIL PEAKING 10UH 10.5MM
	C301	87-016-593-080	CAP,E 470MF-35V	L511	S5-CPZ-100-K02		COIL PEAKING 10UH 3.5MM
	C302	SC-CXB-3A4-71K	CAP,CER 4700PF-1KV	L601	S5-CPZ-109-M02		COIL PEAKING 1UH 3.5MM
	C303	87-A10-493-080	CAP,E 1000MF-25V	L602	S5-CPZ-109-M02		COIL PEAKING 1UH 3.5MM
	C304	87-016-638-080	CAP,E 22MF-50V	L604	S5-CPZ-109-M02		COIL PEAKING 1UH 3.5MM
	C306	87-010-393-010	CAP,E 100MF-35V	L701	S5-CPZ-100-K02		COIL PEAKING 10UH 3.5MM
	C313	87-015-695-010	CAP,E 1MF-50V	L702	S5-CPZ-569-K02		COIL PEAKING 5.6UH 3.5MM
	C401	SC-MYE-2D3-64J	CAP,M 0.36MF-200V	L800	S5-8Q0-000-093		COIL DELAY LINE RS208
	C402	S0-E7T-B01-0M0	CAP,E 1MF-160V	△L801	S5-PLF-24A-300		FILTER LINE LF-24A3
	C404	SC-MYT-3C6-92J	CAP,M 6900PF-1.6KV	L802	S5-MC0-000-100		COIL BEAD MD-5
	C406	87-010-976-010	CAP,CER 1000PF-500V	L803	S5-MC0-000-100		COIL BEAD MD-5
	C411	SC-MYN-1J1-05K	CAP,M 1MF-63V	L805	S5-8C4-500-079		COIL CHOKE L-45
	C420	87-010-553-080	CAP,E 47MF-16V	L806	S5-CPZ-390-K04		COIL PEAKING 39UH 10.5MM
	C421	87-010-545-080	CAP,E 33MF-250V	P101	S4-859-231-620		CONN WAFER YW025-03
	C501	87-015-694-080	CAP,E 0.47MF-50V	P401	S4-859-240-020		CONN WAFER YFW500-05
	C502	87-015-695-010	CAP,E 1MF-50V	P601	S4-859-231-620		CONN WAFER YW025-03
	C503	87-010-553-080	CAP,E 47MF-16V	△P801	S4-859-287-320		CONN WAFER MKS2822
	C504	87-015-696-080	CAP,E 2.2MF-50V	P802	S4-859-242-220		CONN WAFER YFW800-02
	C506	87-015-696-080	CAP,E 2.2MF-50V	P601A	S4-850-703-S50		CONN AS YH025
	C507	87-010-112-040	CAP,E 100MF-16V	R302	87-022-576-010		RES,R METAL 2.2-2W
	C511	87-010-553-080	CAP,E 47MF-16V	R303	87-022-642-090		RES,R METAL 270-2W
	C512	87-015-695-010	CAP,E 1MF-50V	R307	SR-N02-B18-1JS		RES,R METAL 180-2W
	C513	87-010-405-040	CAP,E 10MF-50V	R308	SR-N02-B18-1JS		RES,R METAL 180-2W
	C514	87-015-695-010	CAP,E 1MF-50V	R309	SR-N02-B18-1JS		RES,R METAL 180-2W
	C515	87-015-695-010	CAP,E 1MF-50V	R310	SR-N02-B18-1JS		RES,R METAL 180-2W
	C516	87-015-695-010	CAP,E 1MF-50V	R402	87-025-590-060		RES,R M-OXIDE 15K-2W
	C517	87-015-695-010	CAP,E 1MF-50V	△R403	SR-S02-Y43-9JS		RES,R M-OXIDE 4.3-2W
	C520	87-010-553-080	CAP,E 47MF-16V	R410	SR-N02-B13-2JS		RES,METAL 1.3K-2W
	C522	87-010-553-080	CAP,E 47MF-16V	R503	SR-N01-B30-0JS		RES,METAL 30-1W
				△R801	SD-EC1-40M-290		POSISTOR ECPCC140M290
				R802	SR-X07-C33-9JF		RES,CEM 3.3-7W
				R808	SR-S02-Y82-8JS		RES,R M-OXIDE 0.82-2W
				R819	SR-S02-Y27-8JS		RES,R M-OXIDE 0.27-2W
				R850	87-A00-618-090		RES,METAL 18-2W

REF. NO	PART NO.	KANRI NO.	DESCRIPTION	REF. NO	PART NO.	KANRI NO.	DESCRIPTION
△RLY1	S5-SC0-101-338		SW RELAY DQ5D1-0(M)	X501	S5-XE4-R43-36B		X' TAL, 4.433619MHZ 15PP
SF101	S5-PG3-962-M00		FILTER SAW G 3962-M	X502	S5-XE3-R57-95B		X' TAL, 3.579545MHZ
SF102	S5-PK9-650-M00		FILTER SAW K9650M	X701	S5-XE4-R00-00C		X' TAL, 4.000000MHZ 20PP
SJ01	S4-859-200-401		SOCKET RGB	△Z801	SD-SVC-471-D14		VARISTOR, SVC471D14A
SW701	S5-S50-101-Z90		SW TACT SKHV10910A	ZZ100	S4-8B4-544-A01		TRANSMITTER REMOCON R-44A01
SW702	S5-S50-101-Z90		SW TACT SKHV10910A	ZZ131	S5-8G0-000-084		COIL DEGAUSSING DC-1450
SW703	S5-S50-101-Z90		SW TACT SKHV10910A				
SW704	S5-S50-101-Z90		SW TACT SKHV10910A				
SW705	S5-S50-101-Z90		SW TACT SKHV10910A				
△SW801	S5-S40-101-146		SW POWER PUSH SS-160-7-B				
T401	S5-0D1-0A3-000		TRANS DRIVE TD-10A3				
△T402	S5-0H0-000-202		FBT FUY20C001	C902	87-016-082-010		CAP, M 0.1MF-250V
△T801	S5-0M4-042-A50		TRANS SMPS TSM-4042A5	C905	87-016-082-010		CAP, M 0.1MF-250V
U101	S4-859-719-930		TUNER VARACTOR DT5-BF18D	C906	87-012-397-090		CAP, CER 1000PF-2KV
W101	S4-851-900-130		GROUND TUNER AS DS-W1015-S	P901	S4-850-709-N02		CONNECTOR YBNH250
				△SCT1	S4-859-303-430		SOCKET CRT PCS633A

○チップ抵抗部品コード／CHIP RESISTOR PART CODE

チップ抵抗部品コードの成り立ち

Chip Resistor Part Coding



A
抵抗部品コード
Resistor Code

桁表示
Figure
抵抗値
Value of resistor

チップ抵抗
Chip resistor

容量 Wattage	種類 Type	許容誤差 Tolerance	記号 Symbol	寸法/Dimensions (mm)				抵抗コード : A Resistor Code : A
				外形/Form	L	W	t	
1/16W	1005	± 5%	CJ		1.0	0.5	0.35	104
1/16W	1608	± 5%	CJ		1.6	0.8	0.45	108
1/10W	2125	± 5%	CJ		2	1.25	0.45	118
1/8W	3216	± 5%	CJ		3.2	1.6	0.55	128

TRANSISTOR ILLUSTRATIONS



ECB

2SC5343
STA933



BEC

KSA1013



ECB

KTC3207



BCE


2SD2499




GDS


2SK2671

SCHEMATIC DIAGRAM -1 (MAIN C.B-1/5)






SCHEMATIC DIAGRAM -3 (MAIN C.B-3/5)






SCHEMATIC DIAGRAM -5 (MAIN C.B-5/5)




	32	31	30	29	28	27	26	25	24	23	22	21	20	19	18	17	16	15	14	13	12	11	10	9	8	7	6	5	4	3	2	1
--	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	---	---	---	---	---	---	---	---	---



SCHEMATIC DIAGRAM -6 (NECK C.B)




WIRING - 2 (NECK C.B)



WAVEFORMS

1. TEST EQUIPMENTS : DIGITAL OSCILLOSCOPE (Tektronix TDX 460)
2. TEST CONDITIONS : PAL-B/G FULL COLOR BAR (NORMAL 1)
1KHZ SINEWAVE(SOUND MAX)




IC DESCRIPTION

IC, DW92195B7T-DE2


Pin No.	Pin Name	I/O	Description
1,32,34,35,48	GND	–	Ground
2	AFT	–	Not connected
3,5,6,8,16, 17,18,24,26, 33,47,53,59	NC	–	Not connected
4	BUS STOP	–	Stop BUS DATA
7	SAW SW	O	Switch SAW
9	OSD B	O	OSD B output
10	OSD G	O	OSD G output
11	OSD R	O	OSD R output
12	OSD FB	O	OSD FAST BLANKING output
13	SDA	O	BUS DATA output
14	SCL	O	BUS CLOCK output
15	VDD	–	Not connected
19	WSCF	–	Not connected
20	WSCR	–	Not connected
21,27,37	AVDD3,2,1	–	Power supply to connect 5 V
22,49,64	VDD	–	Power supply to connect 5 V
23	MCFM	–	_____
25	TXCF	–	_____
28	VDD	–	Power supply to connect 5 V
29	CVBS2	–	_____
30	CVBS1	–	_____
31	AGND	–	GND
36	PXFM	–	_____
38	HSYNC	–	_____
39	VSNC	–	_____
40,41,46	NC	–	Not connected
42	AMUTE	O	AUDIO MUTE
43	HALF TONE	I	HALF TONE
44	SCREEN	O	V. OSC STOP (When SCREEN is adjusted)
45	D/Q SW	O	Degauss coil switch
50	OSC OUT	O	Ceramic oscillator output
51	OSC IN	I	Ceramic oscillator input
52	KEY IN	I	Main KEY input
54	OCF	I	Over current protector
55	TUNER AGC	I	Tuner AGC input
56	IF AGC	I	IF AGC input
57	IR	I	Remote control signal input
58	$\overline{\text{RESET}}$	I	Reset
60	LED	O	Switch on LED
61	POWER	O	POWER/STANDBY
62	F/SW	I	RGB BLANKING input
63	S/SW	I	FUNCTION SW input

IC BLOCK DIAGRAMS

IC, TA24C16-10PC



IC, TDA6103Q




ADJUSTMENT

SET-UP FOR ADJUSTMENT

Because the video signal output from a pattern generator is used as the adjustment signal input during adjustment, the video signal output from the pattern generator must conform with the specifications. Measure the output waveform across 75 Ω load. Confirm that the synchronizing signal has an amplitude of about 0.3 V, the video signal portion has an amplitude of about 0.7 V and the burst signal has an amplitude of about 0.3 V with flat envelope. Confirm that ratio of the burst signal amplitude and the red signal amplitude is 0.30 : 0.66. If the output signal does not conform with the specifications, calibrate the pattern generator. (Refer to pattern generator operation manual.)

Use the LEADER: LCG 404 for the pattern generator.



TV display

Color bar signal of a pattern generator

PRECAUTIONS BEFORE STARTING ADJUSTMENT

Satisfy the following setting conditions before starting adjustment.

- Allow warm-up of 20 minutes or longer. (Do not turn off during warm-up.)
- Set all picture quality controls of users' setting to initial set-up, unless otherwise specified.
- Picture quality reset
 1. Select "Picture" on the screen menu and press enter button.
 2. Select "Normal" and press enter button.
 3. Select "Reset" and press enter button.
- Set the pattern generator's output level to 1.0Vp-p (across 75 Ω load).

1. CRT ADJUSTMENT

1-1. Precautions

- (1) Receive the white raster signal, and then perform aging for at least 20 minutes.
- (2) Demagnetize the area surrounding the CRT with a degausser before making adjustments.
- (3) Set the picture quality for each mode to the factory setting.
- (4) Position the front screen facing the east as much as possible.

1-2. Purpose

- (1) Beam landing adjustment (purity magnet)

Set the left/right balance of beam landing. If there is a discrepancy in this adjustment, a color irregularity will occur. After completion of the landing adjustment, it is necessary to perform convergence adjustment.





Fig. 1-1

(2) Beam convergence adjustment (4-pole magnet)

Align the R beam with the B beam. The G beam does not move with this adjustment.




Align the R beam with the B beam

Fig. 1-2

(3) Beam convergence adjustment (6-pole magnet)

With a 4-pole magnet align the G beam with the already aligned R/B beam.



Align the G beam with the R/B beam

Fig. 1-3

(4) The composition of each magnet is as shown in Fig. 1-4.

In making adjustments, rotate the lock ring clockwise (looking from the CRT's back screen) and disengage.

Be careful not to loose the lock ring too much. If the magnet assembly has become shifted during adjustments, secure it to the position in Fig. 1-4.




Fig 1-4

1-3. Beam Landing Adjustment

- (1) Receive the green raster signal from the pattern generator.
- (2) Loosen the magnet lock screw, and shift the magnet assembly backward (toward the neck).
- (3) Loosen the DY lock screw, and shift the DY deflecting yoke backward (toward the neck).
- (4) After opening the two purity magnets to the same angle, adjust the color width of the bands on both sides of the screen so that they are equal. (refer to Fig. 1-5 (a)).




Fig 1-5 (a)

As shown in Fig. 1-5 (b), the purity magnet functions in relation to the electron beam.

- (5) Gradually shift the deflecting yoke toward the front (toward the CRT funnel). Stop movement at the point when the screen has become completely green.




Fig 1-5 (b)

- (6) Also, verify the respective monochromatics of red and blue.
- (7) While looking at the screen, adjust the tilt of the deflecting yoke and tighten the DY lock screw.
- (8) Shift the magnet assembly to the front (toward the CRT funnel), stop movement before the adjustment position and then tighten the magnet lock screw.
At this time, be careful not to shift the position of the purity magnet.

As there is occurrence of convergence distortion after completing the landing adjustments, be sure to carry out convergence adjustments.

If the color irregularities in the screen's corner section are not improved, correct them with the landing magnet. After using the landing magnet, be sure to demagnetize the CRT with degausser and verify that there is no occurrence of color irregularity. (refer to Fig. 1-6)

Landing magnet: 81-JTI-710-010

(two-sided adhesive tape) : 80-XVI-218-010 Cushion




Fig 1-6

1-4. Beam Center Convergence Adjustment

Make adjustments on the convergence with 4-pole and 6-pole magnets. Operate each magnet in relation to the electron beam as shown in Figs. 1-7 and 1-8. When performing this adjustment, verify whether there is distortion in the focus adjustment. If necessary, carry out adjustments again.




Fig 1-7

In Fig. 1-7, two 4-pole magnets are stacked together so as to be of the same polarity. Move the B and R beams to their respective direction, by rotating the two 4-pole magnets together. By adjusting the opening of the two magnets, it is possible to adjust the amount of the beam's movement.




Fig 1-8


In Fig. 1-8, the two 6-pole magnets are stacked together so as to be of the same polarity. Move the B and R beams to their respective direction, by rotating the two 6-pole magnets together. By adjusting the opening of the two magnets, it is possible to adjust the amount of the beam's movement.

- (1) Receive the dot pattern signal from the pattern generator.
- (2) Pay attention to the center of the screen, and perform adjustments with two 4-pole magnets so that the R beam and B beam are perfectly aligned and become a magenta color. (Refer to Fig. 1-2)
- (3) In the same way, pay attention to the screen, and perform adjustments with a 6-pole magnet so that the magenta beam and G beam are aligned and become a white dot. (Refer to Fig. 1-3)
- (4) After adjustments are completed, secure all magnets with the lock link. (Refer to Fig. 1-4)

1-5. The Surrounding Convergence Adjustment

Perform this adjustment after completion of adjustment 1-4.

- (1) Shake the deflecting yoke up, down to the right and left, and adjust any discrepancies in the screen's surroundings.
- (2) Insert wedges in three locations in the gap between the deflecting yoke and the surface of the CRT funnel in order to secure the deflecting yoke. (Refer to Fig. 1-9)



Position of wedge

Fig. 1-9

2. ELECTRICAL ADJUSTMENT

1. Use the numeric keys on the remote control to set the receiving channel to Pr91.
2. Set Sharpness on the Picture Menu screen to 0.
3. Press the buttons on the remote control in the following order:
Skip (R) → Move (G) → Menu

The following menu will appear on the TV screen:

SVC	V0
R BIAS	159
G BIAS	136
B BIAS	127
R DRIVE	35
G DRIVE	31
B DRIVE	32
V. CENTER	10
V.SIZE	23
H.CENTER	28
VCO	07
VCO FIN	107
VCO-L	05
VCO-L FIN	113
AGC	44
LED EAST	No
Pr	01
REMOCON	A

* To terminate the menu screen, press the power button on TV or remote control to turn power off.

4. AFT

PAL

Input frequency: 38.9 MHz

Measuring instrument: Pattern generator/PAL

- 4-1. Set the pattern generator frequency to 38.9 MHz.
- 4-2. Connect the pattern generator output (38.9 MHz) to the IF pin of tuner U101.
- 4-3. Choose VCO from the menu screen.
- 4-4. Press the "Vol+" button on the remote control: "Please wait!" will blink on the screen, and after several seconds, it will disappear.

SECAM

Input frequency: 34.2 MHz

Measuring instrument: Pattern generator/SECAM

- 4-5. Set the pattern generator frequency to 34.2 MHz.
- 4-6. Connect the pattern generator output (34.2 MHz) to the IF pin of tuner U101.
- 4-7. Choose VCO-L from the menu screen.
- 4-8. Press the "Vol+" button on the remote control: "Please wait!" will blink on the screen, and after several seconds, it will disappear.


5. Screen

Input signal: Stair-step

Adjustment point: SFR touched at lever part of FBT (T402).

Measuring instrument: Pattern generator/PAL

- 5-1. Set the TV to the "Normal I" mode.
- 5-2. Set the R/G/B Bias data values on the menu screen to 127.
- 5-3. Set the R/G/B Drive data values on the menu screen to 32.
- 5-4. Adjust the lower SFR of FBT (T402) so that the second scale from the right of stair-step starts to glow.



Second scale from right
Fig. 5-1

6. White Balance

Input signal: White raster

Measuring instrument: Pattern generator/PAL

- * Perform aging before adjustment for at least 20 minutes.
- * Perform all adjustment steps several times.

Set the TV to the "Normal I" mode when performing adjustment steps 6-1 _ 6-9.

Bias Adjustment:

- 6-1. Supply white raster from the pattern generator.
- 6-2. Fix the bias value of the color, which is developed the most on the screen to 127, and use the Vol +/- buttons on the remote control to adjust the other two bias values so that the picture is white.

Drive Adjustment:

- 6-3. Use the Vol +/- buttons on the remote control to set the **R Drive** value to 63 so that the picture is reddish.
- 6-4. Lower the value until red disappears.
- 6-5. Use the Vol +/- buttons on the remote control to set the **G Drive** value to 63 so that the picture is greenish.
- 6-6. Lower the value until green disappears.
- 6-7. Use the Vol +/- buttons on the remote control to set the **B Drive** value to 63 so that the picture is bluish.
- 6-8. Lower the value until blue disappears.
- 6-9. Perform steps 6-1 _ 6-8 several times so that the picture is seen more white.

7. Focus

Input signal: Dot pattern

Adjustment point: SFR located at upper part of FBT (T402)

Measuring instrument: Pattern generator/PAL

Adjust SFR which is located at upper part of FBT (T402) in order to get the best focus for the dot.

8. AGC

Input signal: Color bar (ANT RF-Input)

Measuring instrument: Pattern generator/PAL

Test point: Tuner U101 AGC pin

8-1. Set the receiving frequency at Pr91 to that of pattern generator.

8-2. Connect an oscilloscope to the AGC pin of tuner U101.

8-3. Choose AGC from the menu screen.

8-4. Use the "P \wedge / \vee " button on the remote control to set the value to maximum, and then set it to a value where the voltage at the test point is 1 V lower than the maximum.

<Simple Adjustment>

- Set the receiving frequency at Pr91 to that of pattern generator.
- Choose AGC from the menu screen.
- Use the "P \wedge / \vee " button on the remote control to set the value to that where no noise or beat occurs.

9. Vertical Center

Input signal: Crosshatch

Measuring instrument: Pattern generator/PAL

9-1. Set the TV to the "Normal I" mode.

9-2. Choose V.CENTER from the menu screen.

9-3. Adjust the "Vol +/-" buttons on the remote control so that the dot mark at the center of crosshatch is positioned at the vertical center of screen.




Fig.9-1

10. Vertical Size

Input signal: Crosshatch (with circle)

Measuring instrument: Pattern generator/PAL

10-1. Set the TV to the "Normal I" mode.

10-2. Choose V.SIZE from the menu screen.

10-3. Adjust the "Vol +/-" buttons on the remote control so that the dot mark at the center of crosshatch is positioned at the vertical center of screen, the circle is a perfect circle, and each hatch is square.




Fig.10-1

11. Horizontal Center

Input signal: Crosshatch

Measuring instrument: Pattern generator/PAL

11-1. Set the TV to the "Normal I" mode.

11-2. Choose H.CENTER from the menu screen.

11-3. Adjust the "Vol +/-" buttons on the remote control so that the dot mark at the center of crosshatch is positioned at the center of screen, and the number of squares on the left and right is the equal.





Fig.11-1

MECHANICAL EXPLODED VIEW 1/1



MECHANICAL MAIN PARTS LIST 1/1

DESCRIPTIONで判断できない物は "REFERENCE NAME LIST" を参照してください。
If can't understand for Description please kindly refer to "REFERENCE NAME LIST".

REF. NO	PART NO.	KANRI NO.	DESCRIPTION
	S4-850-A03-310	ANT ROD	
1	S4-855-621-900	MARK BRAND ABS BK	
2	8A-JB8-002-010	PANEL,FRONT	
3	S4-855-542-200	DECO SENSOR PMMA	
4	8A-JB8-003-010	BTN,CHANNEL	
5	8A-JB8-004-010	LENS,SENSOR	
6	8A-JB8-001-010	CABI,FRONT	
7	S4-858-314-410	SPEAKER SP-77A05 3W 8 OHM	
8	8A-JB8-005-010	BTN,POWER	
9	S9-7P2-316-600	HOLDER AC CORD	
△	10 S4-859-608-640	CRT DOSA A34JLL90X89	
	11 S4-851-9A4-710	CRT GROUND AS 14A3	
	12 S5-8G0-000-084	COIL DEGAUSSING 14" DC-1450	
	13 8A-JB8-006-010	CABI,BACK	
	14 S4-856-818-300	CLAMP WIRE PH-WL-5034	
△	15 S4-859-906-210	CORD,POWER	
A	87-741-096-410	SCREW TAPPTITE 3-10	
B	S4-856-013-301	SCREW CRT FIXING AS L-140	
C	S4-856-013-300	SCREW CRT FIXING AS L-80	
D	S4-856-215-402	WASHER RUBBER	
E	S7-172-401-412	SCREW TAPPING 4-14	
F	87-741-095-410	SCREW TAPPTITE 3-8	

COLOR NAME TABLE

Basic color symbol	Color	Basic color symbol	Color	Basic color symbol	Color
B	Black	C	Cream	D	Orange
G	Green	H	Gray	L	Blue
LT	Transparent Blue	N	Gold	P	Pink
R	Red	S	Silver	ST	Titan Silver
T	Brown	V	Violet	W	White
WT	Transparent White	Y	Yellow	YT	Transparent Yellow
LM	Metallic Blue	LL	Light Blue	GT	Transparent Green
LD	Dark Blue	DT	Transparent Orange	GM	Metallic Green
YM	Metallic Yellow	DM	Metallic Orange	PT	Transparent Pink
LA	Aqua Blue				

アイワ株式会社 〒110-8710 東京都台東区池之端1-2-11 ☎03(3827)3111 (代表)
AIWA CO.,LTD. 2-11, IKENOHATA 1-CHOME, TAITO-KU, TOKYO 110-8710, JAPAN TEL:03 (3827) 3111