



## SERVICE MODE

Decrease the volume to 00. Press the MUTE button on the remote control and 'Mute' appears on the TV screen. Then press and hold the MUTE button on the remote control and MENU on the TV at the same time for 3 seconds and the TV enters the S mode.




This circuit diagram is only for reference.  
Specifications are subject to change without notice.


AV BOARD JUC7. 820. 426-1




Y Board JUC7. 820. 428




## POWER BOARD JUC7.820.774







K Board JUC7.820.429




Speaker




1. Any components identified by  have special safety-related characteristics. Use replacement components which have the same characteristics as the original parts.
2.  Cold ground       Hot ground
3.  FDA This symbol tells you that replacement components related to high voltage, beam current and X-ray radiation should not be made at will.

This circuit diagram is only for reference.  
Specifications are subject to change without notice.




- IIC-BUS  
XSS01  
5PP
- GND  
— W/R  
— SDA  
— SCL  
— +5V


## AV Board JUC7.820.426-1




Y Board JUC7.820.428




## POWER BOARD JUC7.820.774







K Board JUC7.820.429



Speaker



1. Any components identified by  have special safety-related characteristics. Use replacement components which have the same characteristics as the original parts.
2.  Cold ground       Hot ground
3.  FDA This symbol tells you that replacement components related to high voltage beam current and X-ray radiation should not be made at will.

This circuit diagram is only for reference.  
Specifications are subject to change without notice.